

KWS GUIUM





Group 3 Winter Wheat KWS Rowan x Tempo

- Excellent yields when later sown as a 1st & 2nd wheat in the East
- Excellent yellow rust resistance (9) with OWBM resistance
- UK Flour Millers biscuit wheat with distilling potential

KWS Guium is the perfect wheat to schedule on farm this year. Suited to being drilled from October onwards, KWS Guium is later maturing (+3) which enables the spreading of the workload at harvest. The excellent sprouting resistance also adds flexibility during this time.

With good yellow rust resistance (9) and OWBM, the variety performs well in the East. Whilst a robust fungicide programme is recommended to get the best out of this variety.

KWS Guium is one of the few varieties not to be based on Cougar within the Group 3 sector. Therefore, it is a useful addition on farm to increase genetic diversity into the wheat rotation.








What makes KWS GUIUM the wheat variety for you?

KWS Guium has the best combination of yellow rust and midge resistance in the high yielding soft milling sector.




KWS GUIUM yield performance



| Yield | % treated controls |
|------------|--------------------|
| UK | 102 |
| East | 102 |
| West | 100 |
| North | 101 |
| Untreated | 78 |
| Light | [101] |
| Heavy | 102 |
| 1st cereal | 101 |
| 2nd cereal | 101 |
| Early | 103 |
| Late | 101 |

Disease resistance and agronomy of KWS GUIUM



KWS GUIUM end markets

KWS Guium has the correct balance of resistance and extensibility to ensure a consistent biscuit product is produced time after time. KWS Guium is therefore fully approved by the UK millers and biscuit manufacturers. It is also approved for use in distilling.



| | KWS Guium |
|----------------------------------|-----------|
| Grain Quality | |
| Protein content (%) - All Trials | 11.3 |
| Hagberg Falling Number | 255 |
| Specific Weight (kg/hl) | 78.1 |

KWS GUIUM - Sowing for Peak Performance

80% of your crop's potential is locked in by the seed you buy and sow. While you can fine tune this with the correct nitrogen levels, using fungicides wisely to protect it from disease and paying attention to basic management principles, many attributes of your crop can't be changed. Therefore, it pays for you and your agronomist to make proactive choices before ordering a variety.

To get peak performance from KWS Guium we recommend drilling in the following time window:

| September | October | Nove | mber | December | January | February |
|----------------------------------|--------------------------|---------------------|------|--------------------------------|---------------|----------|
| 1st September > winter varieties | | Transitional Period | | 1st January > spring varieties | | |
| KWS Parkin | | | | | | |
| | S Firefly | | | | | |
| KW | S Dawsum | | | | | |
| K | NS Jackal | | | | | |
| | KWS Zyatt | | | | | |
| | KWS Palladium | | | | \Rightarrow | |
| | KWS Barrel KWS Kerrin | | _ | | | |
| _ | KWS Guium | | _ | | | |
| | KWS Brium | | | | | |
| | KWS Extase | ; | | | | |
| | KWS Siskin | | | | | |
| | KWS Craniu | m | | | | |
| | | | | | | |

At KWS, we believe to get the best performance on your farm it is critical that when you choose your variety, you are using a wealth of data to tailor your choice for both your farm and individual field situation.

To learn more about Sowing for Peak Performance, scan the QR code or visit

bit.ly/3bRqCig



Seed Rates

| | 1st - 3rd week Sep | End Sep - Early Oct | Mid - Late Oct | Late Oct - Early Nov | Early Nov - Early Dec |
|------------------|-----------------------|------------------------|-------------------|-------------------------|--------------------------|
| Conditions | | | | | |
| Good Seed Bed | 200 - 250 | 250 - 325 | 350 - 400 | 350 - 400 | 425 - 500 |
| Bad Seed Bed | 250 - 275 | 350 - 375 | 400 - 425 | 400 - 425 | 500+ |
| Soil Type | | | | | |
| Light | 250 - 275 | 275 - 350 | 350 - 375 | 350 - 375 | 425 - 475 |
| Heavy | 250 - 275 | 300 - 350 | 400 - 425 | 400 - 425 | 500+ |

Start sowing from:

Based on your location, we recommend sowing this wheat from a different date. The map to the right is divided into 5 regions, within each one is the recommended start date you could drill KWS Guium from.

